## WHAT IS CLAIMED IS:

## 1. A compound of the formula (I):

$$NH_2$$
 $N$ 
 $R_1$ 
 $R_1$ 

(I)

wherein

5

10  $R_1$  is  $-C_{2-6}$  alkyl-NR<sub>3</sub>- SO<sub>2</sub> -X-R<sub>4</sub> or  $-C_{2-6}$  alkyl-NR<sub>6</sub>-SO<sub>2</sub>-R<sub>7</sub>;

X is a bond or  $-NR_5$ -;

R4 is alkyl, aryl, or heteroaryl;

R<sub>2</sub> is selected from the group consisting of:

-hydrogen;

15 -alkyl;

-alkenyl;

-aryl;

-substituted aryl;

-heteroaryl;

20 -substituted heteroaryl;

-alkyl-O-aryl;

- alkyl-O-alkyl;

- alkyl-O- alkenyl; and

- alkyl or alkenyl substituted by one or more substituents selected from the

25 group consisting of:

-OH;

-halogen;  $-N(R_3)_2$ ;  $-CO-N(R_3)_2;$ -CO-C<sub>1-10</sub> alkyl; 5 -CO-O-C1-10 alkyl;  $-N_3$ ; -aryl; -substituted aryl; -heteroaryl; 10 -substituted heteroaryl; -heterocyclyl; -substituted heterocyclyl; -CO-aryl; -CO-(substituted aryl); 15 -CO-heteroaryl; and -CO-(substituted heteroaryl); each  $\mathbf{R}_3$  is independently selected from the group consisting of hydrogen and  $C_{1\text{-}10}$ alkyl;  $\mathbf{R}_5$  is selected from the group consisting of hydrogen and  $\mathbf{C}_{1\text{-}10}$  alkyl, or  $\mathbf{R}_4$  and  $\mathbf{R}_5$ can combine to form a 3 to 7 membered heterocyclic or substituted heterocyclic ring; 20  $\mathbf{R}_6$  is selected from the group consisting of hydrogen and  $\mathbf{C}_{1-10}$  alkyl;  $\mathbf{R}_7$  is selected from the group consisting of hydrogen and  $\mathbf{C}_{1\text{-}10}$  alkyl, or  $\mathbf{R}_6$  and  $\mathbf{R}_7$ can combine to form a 3 to 7 membered heterocyclic or substituted heterocyclic ring; n is 0 to 4 and each R present is independently selected from the group consisting of  $C_{1-10}$  alkyl,  $C_{1-10}$  alkoxy, halogen and trifluoromethyl, 25 or a pharmaceutically acceptable salt thereof.

- 2. A compound of claim 1 wherein X is a bond.
- 30 3. A compound of claim 2 wherein n is 0.
  - 4. A compound of claim 2 wherein each R<sub>3</sub> is hydrogen.

- 5. A compound of claim 2 wherein R<sub>4</sub> is alkyl
- 6. A compound of claim 2 wherein R<sub>2</sub> is selected from the group consisting of
   5 hydrogen, C<sub>1-4</sub> alkyl, and C<sub>1-4</sub> alkyl-O- C<sub>1-4</sub> alkyl.
  - 7. A compound of claim 2 wherein the dashed bonds are absent.
  - 8. A compound selected from the group consisting of:
- $N-[4-(4-a\min o-2-ethyl-1H-imidazo[4,5-c]quinolin-1-yl)butyl] benzenesul fonamide; \\ N-[4-(4-a\min o-2-propyl-1H-imidazo[4,5-c]quinolin-1-yl)butyl] benzenesul fonamide; \\ N-[4-(4-a\min o-2-bexyl-1H-imidazo[4,5-c]quinolin-1-yl)butyl] benzenesul fonamide; \\ N-[4-(4-a\min o-2-propyl-1H-imidazo[4,5-c]quinolin-1-yl)butyl] methanesul fonamide; \\ N-[4-(4-a\min o-2-ethyl-1H-imidazo[4,5-c]quinolin-1-yl)butyl] methanesul fona$
- N-[4-(4-amino-2-methyl-1H-imidazo[4,5-c]quinolin-1-yl)butyl]benzenesulfonamide;
  N-[4-(4-amino-2-methyl-1H-imidazo[4,5-c]quinolin-1-yl)butyl]methanesulfonamide;
  N-[3-(4-amino-2-butyl-1H-imidazo[4,5-c]quinolin-1-yl)propyl]methanesulfonamide;
  N-[3-(4-amino-2-butyl-1H-imidazo[4,5-c]quinolin-1-yl)propyl]benzenesulfonamide;
  N-[4-(4-amino-2-hexyl-1H-imidazo[4,5-c]quinolin-1-yl)butyl]methanesulfonamide;
- N-{8-[4-amino-2-(2-methoxyethyl)-1H-imidazo[4,5-c]quinolin-1-yl]octyl} benzenesulfonamide;
  N-{8-[4-amino-2-(2-methoxyethyl)-1H-imidazo[4,5-c]quinolin-1-yl]octyl} methanesulfonamide;
  - N-[8-(4-amino-2-butyl-1H-imidazo[4,5-c]quinolin-1-yl)octyl]methanesulfonamide;
- N-[3-(4-amino-2-butyl-1*H*-imidazo[4,5-*c*]quinolin-1-yl)propyl]-5-(dimethylamino)naphthalene-1-sulfonamide;

  N-[3-(4-amino-2-butyl-1*H*-imidazo[4,5-*c*]quinolin-1-yl)propyl]-4-methylbenzenesulfonamide;
  - N-{3-[4-amino-2-(2-methoxyethyl)-1H-imidazo[4,5-c]quinolin-1-
- 30 yl]propyl}methanesulfonamide;

  N-[8-(4-amino-2-butyl-1*H*-imidazo[4,5-c]quinolin-1-yl)octyl]benzenesulfonamide;

```
yl]propyl}benzenesulfonamide;
       N-[4-(4-amino-2-pentyl-1H-imidazo[4,5-c]quinolin-1-yl)butyl]methanesulfonamide;
       N-[4-(4-amino-2-pentyl-1H-imidazo[4,5-c]quinolin-1-yl)butyl]benzenesulfonamide;
 5
       N-[8-(4-amino-1H-imidazo[4,5-c]quinolin-1-yl)] methanesulfonamide:
       N-\{3-[4-amino-2-(2-methoxyethyl)-1H-imidazo[4,5-c]quinolin-1-yl]propyl\}-4-
       methylbenzenesulfonamide;
       N-[4-(4-amino-2-pentyl-6,7,8,9-tetrahydro-1H-imidazo[4,5-c]quinolin-1-
       yl)butyl]methanesulfonamide;
10
       N-{3-[4-amino-2-(ethoxymethyl)-1H-imidazo[4,5-c]quinolin-1-
       yl]propyl}methanesulfonamide;
       N-\{3-[4-amino-2-(2-methoxyethyl)-1H-imidazo[4,5-c]quinolin-1-yl]-2,2-
       dimethylpropyl}methanesulfonamide;
       N-\{3-[4-amino-2-(2-methoxyethyl)-1H-imidazo[4,5-c]quinolin-1-yl]propyl\}-5-
15
       (dimethylamino)naphthalene-1-sulfonamide:
       N-[3-(4-amino-2-methyl-1H-imidazo[4,5-c]quinolin-1-yl)propyl]methanesulfonamide;
       N-\{3-[4-amino-2-(2-methoxyethyl)-6,7,8,9-tetrahydro-1H-imidazo[4,5-c]quinolin-1-
       yl]propyl}methanesulfonamide;
       N-{3-[4-amino-2-(ethoxymethyl)-6,7,8,9-tetrahydro-1H-imidazo[4,5-c]quinolin-1-
       yl]propyl}methanesulfonamide;
20
       N-\{3-[4-amino-2-(3-phenoxypropyl)-1H-imidazo[4,5-c]quinolin-1-
       yl]propyl}methanesulfonamide;
       N-{4-[4-amino-2-(3-phenoxypropyl)-1H-imidazo[4,5-c]quinolin-1-
        yl]butyl}methanesulfonamide;
       N-[4-(4-amino-2-methyl-6,7,8,9-tetrahydro-1H-imidazo[4,5-c]quinolin-1-
25
        yl)butyl]methanesulfonamide hydrochloride:
       N-[2-(4-amino-2-butyl-1H-imidazo[4,5-c]quinolin-1-yl)ethyl]-4-
        methylbenzenesulfonamide;
       N-[2-(4-amino-2-butyl-1H-imidazo[4,5-c]quinolin-1-yl)ethyl]methanesulfonamide;
30
        1-[4-(1,1-dioxidoisothiazolidin-2-yl)butyl]-2-(2-methoxyethyl)-1H-imidazo[4,5-
        c]quinolin-4-amine;
       2-butyl-1-[4-(1,1-dioxidoisothiazolidin-2-yl)butyl]-1H-imidazo[4,5-c]quinolin-4-amine;
```

 $N-\{3-[4-amino-2-(2-methoxyethyl)-1H-imidazo[4,5-c]quinolin-1-$ 

N-{2-[4-amino-2-(ethoxymethyl)-1H-imidazo[4,5-c]quinolin-1-yl]-1,1-dimethylethyl}methanesulfonamide; N-[4-(4-amino-2-methyl-1H-imidazo[4,5-c]quinolin-1-yl)butyl]ethanesulfonamide; 1-(2-amino-2-methylpropyl)- 1H-imidazo[4,5-c]quinoline-4-amine; and N-{4-[4-amino-2-(cyclopropylmethyl)-1H-imidazo[ $\overline{4}$ ,5-c]quinolin-1-

 $N-\{4-[4-amino-2-(cyclopropylmethyl)-1H-imidazo[4,5-c]quinolin-1 yl]butyl\}$  methanesulfonamide; or a pharmaceutically acceptable salt thereof.

20

- 9. A pharmaceutical composition comprising a therapeutically effective amount of a
   10 compound of claim 1 and a pharmaceutically acceptable carrier.
  - 10. A pharmaceutical composition comprising a therapeutically effective amount of a compound of claim 2 and a pharmaceutically acceptable carrier.
- 15 11. A pharmaceutical composition comprising a therapeutically effective amount of a compound of claim 8 and a pharmaceutically acceptable carrier.
  - 12. A method of inducing cytokine biosynthesis in an animal comprising administering an effective amount of a compound of claim 1 to the animal.
  - 13. A method of inducing cytokine biosynthesis in an animal comprising administering an effective amount of a compound of claim 2 to the animal.
- 14. A method of inducing cytokine biosynthesis in an animal comprising administering an effective amount of a compound of claim 8 to the animal.